

CANADA'S MOST PRECISE RATION CONTROL GRAIN FEEDERS

COMPLETE PRODUCT GUIDE



1-800-806-0715
advantagefeeders.ca



**ADVANTAGE
FEEDERS**

CANADA'S MOST PRECISE RATION CONTROL FEEDERS

As the costs of farm operations increase, it's more important than ever to get the most out of your pasture, reduce feed waste and costs, while still achieving your livestock production targets. Our feeders offer precise ration control to make this a reality by lowering your costs and increasing your production.

Most pasture can be complemented with a supplement to improve rumen function and leads to increased livestock production with less feed consumption. The feed quantity in most applications is minimal, making ration control crucial to cost effectively achieving the benefits of improved rumen function.

Our unique 3-Way Restriction System enables this control and gives our customers the best opportunity to maximize results and cost saving across all seasons.

Traditional feeders rely on the animal becoming tired of licking and do not limit them from feeding. The Advantage Feeders 3-Way Restriction System is unique; it offers the most precise control over the height, depth and width of the feed access area.

When our 3-Way Restriction System is set in a restricted position, the animal's tongue can only touch a few grains or pellets with each lick. This significantly reduces wasted feed or excess consumption from unlimited access to the trough.

After approximately five minutes of licking, the animal's tongue becomes dry, and it can no longer feed. Depending on the paddock environment, livestock come to the feeder 5-10 times per day, creating a system of supplementation in little and often amounts.


From small farm operations to large ranches, Advantage Feeders support farmers across Canada to save on operation costs and increase production outcomes.



SCAN TO SEE HOW THE ADVANTAGE FEEDERS 3-WAY RESTRICTION SYSTEM WORKS

RUMEN PH WHEN FEEDING LITTLE AND OFTEN, OR ONCE PER DAY

The Advantage Feeders 3 Way Restriction System enables livestock to feed little and often amounts improving rumen pH.



- ✓ Good microbe fibre digestion > 5.9
- ✗ Poor microbe fibre digestion 5.5 - 5.9
- ✗ Microbes don't digest fibre < 5.5

Sourced: milkproduction.com (2023)

HOW ADVANTAGE FEEDERS HELPS FARMERS ACHIEVE MORE



25% added feed conversion:

- Reduce feed waste and control the ration without expensive limiters
- Purchase feed in bulk and refill less frequently
- Streamline the feeding process to reduce labor costs



Enhanced Livestock Production:

- Upper Adjuster Handles and Lower Adjuster Cams enable easy adjustments and precise feeding control
- Enhance rumen function and minimize the need for additional supplementation
- Utilize the feeders year-round to optimize pasture conversion and forage utilization






Finally, a feeder that lasts:

- Stainless steel troughs and adjusters offer resistance to rust and ensure longevity
- Hot-dip galvanized skids and 275g/m² galvanized sheetmetal provide durability and corrosion resistance
- A cleaning tool is included to maintain cleanliness



25% added feed conversion:

- Reduce feed waste and control the ration without expensive limiters
- Purchase feed in bulk and refill less frequently
- Streamline the feeding process to reduce labor costs



ADVANTAGE FEEDERS FULL YEAR PASTURE CONVERSION SYSTEM

GET THE BEST RESULTS FROM YOUR FEEDERS

THE RATION CONTROL OF OUR 3-WAY RESTRICTION SYSTEM ALLOWS YOU TO MAXIMIZE YOUR PASTURE, FODDER, AND SUPPLEMENT CONVERSION ALL YEAR.

INADEQUATE PASTURE: With the lifecycle of pasture, at times it will have inadequate energy and/or protein to meet your production goals. Advantage Feeders 3-Way Restriction System gives you the tools to achieve production goals with labor and waste saving benefits while supporting the rumen to be more efficient in converting imperfect, but cost effective, pasture (i.e. corn stalks in corn grazing).

HIGH MOISTURE PASTURE: When rain commences at the start of a growing season, pasture is often high in moisture and passes through stock too quickly to be fully absorbed. Advantage Feeders' innovative hay feeders and 3-Way Restriction System give you the tools to increase stocking rates at this time so you can capitalize on the high quantity of quality pasture when it becomes abundant.

EXCESS PROTEIN PASTURE: During the growing phase of pasture, before flowering, the soluble protein level is often much higher than required. In this period, the animal wastes a substantial amount of energy excreting excess protein in its urine. This energy could alternatively be utilized for production. Advantage Feeders' 3-Way Restriction System gives you the means to eliminate this issue and to maximize your production.

CREEP FEEDING: Creep feeding is a system that transforms the rumen of infant stock from non-functional to effective far quicker than consuming a diet of pasture alone. Compared to traditional systems where a cow or ewe consumes pasture to produce milk to feed the young animal, creep feeding short circuits the production system and quadruples pasture conversion.



EXPERIENCE UNMATCHED STRENGTH, EASIER ADJUSTMENT, AND MINIMAL MAINTENANCE WITH OUR NEW GRAIN FEEDERS DESIGN

UNIQUE PRODUCT ID NUMBER

The number makes it easier to communicate with our sales team

LARGE SIGHT GLASSES AT BOTH ENDS

Check the approximate feed volume from a distance

UPGRADED ROOF PIVOT (NEW DESIGN)*

Reinforced to provide additional strength

ADJUSTER GUARD HOUSING AND LATCH (NEW DESIGN)*

When not in use, the Adjuster Guard is housed in a secure location

REINFORCED STEPS

Welded flanges and pressed flange for grip and strength

UPPER ADJUSTER HANDLES

Adjustments to the Upper Adjusters are made from the end of the feeder

CREEP FEEDING NUMBERS (NEW DESIGN)*

Each position is numbered for easy communication and setting

SIDE WALL GUTTERS (NEW DESIGN)*

Enlarged gutters prevent moisture running into the trough

ADJUSTABLE STANDS (NEW DESIGN)

Sprung pin system allows for simple and robust adjustment and securing of stand height

STAINLESS STEEL FEED AREA

Stainless steel troughs and adjusters ensure the product endures corrosive feeds

LOWER ADJUSTER CAMS

Rotating the cams makes adjusting to the Lower Adjusters easy and accurate

TOP SELLER
FOR CATTLE

ADJUSTMENT TOOL (NEW DESIGN)*

Stored in a visible, accessible, and secure location

DROP LOCK PIN ROOF LATCH

Reliable, simple and strong latching system

STRONG RAIN GUARD BRACING

Rain protection bracing increases the weather protection strength

VOLUME STICKER

Obtain an accurate measure of the volume of feed in the hopper

HOUSED CLEANING TOOL (NEW DESIGN)*

Stored in a visible, accessible, and secure location

SIX ADJUSTER BRACES

Highly accurate and stock proof feed access area

ADJUSTER LOCK (NEW DESIGN)*

Lock the adjuster guard in position and prevent food lodging

DEEP TROUGHS


110mm deep troughs prevent waste and are strong enough for front end loader use

ADJUSTER GUARDS (NEW DESIGN)*

Adjuster Guards stop livestock from bulldozing feed out

FLOW ASSIST (NEW FEATURE)*

Minimize lodging of feed on the Adjuster Braces



STRONG HANDLE


The leverage of the 5mm pressed handle allows the Upper Adjuster to be moved in small and accurate increments

GAUGE SYSTEM

Each position is numbered for easy communication and setting

LOCKING NUT

The nyloc nut locking system makes it fast to reposition the Upper Adjuster



LOCKING BOLT

The locking bolt system makes it fast to reposition the Lower Adjuster

GAUGE SYSTEM

Each position is numbered for easy communication and setting

13MM EXTRUSION

Provides a leverage point for easy repositioning of the Lower Adjuster



VISIT OUR WEBSITE TO VIEW THE FULL RANGE OF GRAIN FEEDERS AND ACCESSORIES TO COMPLEMENT YOUR LIVESTOCK.





HD GRAIN FEEDERS

OUR 3-WAY RESTRICTION SYSTEM MAXIMIZES YOUR PASTURE,
FODDER AND SUPPLEMENT FEED CONVERSION ALL YEAR ROUND.

8000HD Grain Feeder



- 160 bu
- Dimensions at cattle height:
8'0" x 7'7" x 8'7"
- Feeds 40-80 cattle/calves
- 1270lbs

FEATURES

- Built for Cattle ONLY!
- Reinforced rain protection area
- Easy to use pivoting roof
- Fixed height for cattle
- Mineral Attachment add-on available
- Stainless steel troughs



5300HD Grain Feeder



- 108 bu
- Dimensions at cattle height:
8'0" x 5'6" x 7'9"
- Feeds 100-200 goats/sheep,
40-80 cattle/calves
- 930lbs

FEATURES

- Reinforced rain protection area
- Easy to use pivoting roof
- Mineral Attachment add-on available
- Stainless steel troughs



2500HD Grain Feeder



- 51 bu
- Dimensions at cattle height:
8'0" x 5'6" x 5'4"
- Feeds 100-200 goats/sheep,
40-80 cattle/calves
- 750lbs

FEATURES

- Reinforced rain protection area
- Easy to use pivoting roof
- Mineral Attachment add-on available
- Stainless steel troughs



1200HD Grain Feeder



- 24 bu
- Dimensions at cattle height:
4'0" x 5'6" x 5'4"
- Feeds 50-100 goats/sheep,
20-40 cattle/calves
- 420lbs

FEATURES

- Reinforced rain protection area
- Easy to use pivoting roof
- Mineral Attachment add-on available
- Stainless steel troughs



200HD Grain Feeder



- 4.25 bu
- Dimensions:
2'8" x 1'7" x 2'8"
- Feeds 15-30 goats/sheep,
6-12 cattle/calves
- 70lbs

FEATURES

- Comes with brackets for hanging
- Hangs on gates, fences or steel posts
- Chest handles make it easy to move
- Easy to use pivoting roof
- Full stainless steel hopper

This product is not compatible with Lamb Creep Panels



SPECIAL FEATURES THAT COME STANDARD!

3-Way Restriction System · Upper Adjuster Handles · Lower Adjuster Cams ·
Cleaning tool · Deep troughs · Hot gal dipped skids · Stainless steel troughs
and adjusters · Adjustable skid height* · Double skid* · 2 year standard
warranty*

+ OPTIONAL ADD-ONS

- Calf Creep Gates
- Mineral Attachments



MOBILE GRAIN FEEDERS

ALL THE BENEFITS AND QUALITY OF OUR STATIONARY GRAIN FEEDERS WITH THE ADDED CONVENIENCE OF ON-FARM TOWING.

M8000HD Grain Feeder



- 160 bu
- Dimensions at cattle height: 12'0"x 7'7"x 8'6"
- Feeds 40-80 cattle/calves
- 1500lbs

FEATURES

- Built for Cattle ONLY!
- Removable hitch
- 4 stands for securing when in use
- Easy to use pivoting roof
- Stainless steel troughs



M5300HD Grain Feeder



- 108 bu
- Dimensions at cattle height: 12'0"x 5'6"x 8'1"
- Feeds 100-200 goats/sheep, 40-80 cattle/calves
- 1240lbs

FEATURES

- Load sharing tandem axle suspension
- 4 Stands for securing when in use
- Stainless steel troughs
- Adjustable height hitch to suit any vehicle
- Sheep and goats can eat over the light truck tires



M2500HD Grain Feeder



- 51 bu
- Dimensions at cattle height: 12'0"x 5'6"x 5'8"
- Feeds 100-200 goats/sheep, 40-80 cattle/calves
- 1100lbs

FEATURES

- Adjustable height hitch to suit any vehicle
- Sheep and goats can eat over the light truck tires
- Stainless steel troughs
- 4 stands for securing when in use



M1400HD Grain Feeder



- 28 bu
- Dimensions at cattle height: 11'4"x 4'3"x 4'4"
- Feeds 100-200 goats/sheep, 40-80 cattle/calves
- 640lbs

FEATURES

- Flotation tires operate in wet conditions
- Standard rear pull to tow multiple units together
- Stainless steel troughs
- Adjustable height hitch to suit any vehicle



GET THE BEST RESULTS FROM YOUR FEEDERS

Visit our website to calculate your most cost effective feed mix, read more expert advice from our on-farm trials, or find out where to visit us at an upcoming field day.

FIND OUT MORE → [ADVANTAGEFEEDERS.CA](https://advantagefeeders.ca)



RETHINK CREEP FEEDING WITH CONTROLLED INTAKE SUPPLEMENTATION

ADVANTAGE FEEDERS 3-WAY RESTRICTION SYSTEMS GIVE YOU THE ABILITY TO MAXIMIZE FEED INTAKE WHEN OFFSPRING ARE YOUNG TO DEVELOP THEIR RUMEN AND THEN, ONCE DEVELOPED, CONTROL INTAKE TO MAXIMIZE GROWTH RATES WITH MINIMAL FEED UNTIL WEANING.

CONTROLLED CREEP FEEDING MAXIMIZES PROFIT

When creep feeding starts from birth, it is common for calves to have effectively functioning rumens at 8-12 weeks of age and lambs and kids at 5-6 weeks of age. At this time, traditional (unrestricted) creep feeding can increase rapidly which can increase costs quickly. From this time onwards, controlled creep feeding enables farmers to control the intake to complement the available pasture and maximize profit. Frequently, calves are controlled to 2lb/day and lambs and kids to ½lb/day.




1. FED MILK ONLY

2. FED MILK AND HAY

3. FED MILK AND GRAIN

Source: Penn State University





EXPEDITE PASTURE CONVERSION

START CREEP FEEDING WITH NEWBORN ANIMALS

Calves, lambs, and kids start their lives with sterile and undeveloped rumens that cannot digest pasture and other feed types. The sooner that they have access to concentrated feeds with good levels of starch, the sooner their rumen transforms to be an efficient system to digest feeds, importantly pasture.

AVOID FLESHY WEANERS AND MAXIMIZE WEANER VALUE

A common issue with traditional creep feeding is that calves become 'fleshy' or overly fat. These weaners receive a discount and further reduce the potential for it to return profit. Controlled creep fed calves have most of their diet in pasture, and are well grown without the issue of excess fat.

EFFECTIVE BACKGROUNDING AND SEAMLESS WEANING

Controlled creep feeding is a labor efficient and cost-effective way to background calves. It also provides a stress free and seamless way to wean as the calves are less reliant on their mothers and know how to feed on both pasture and concentrates through the feeder.

Controlled creep feeding increases weaning weight by 86lbs from only 217lbs of a barley/ pellet mix. This adds over \$300 income with less than \$100 of expense.

**See Advantage Feeders Creep Feeding trial results at advantagefeeders.ca/trial-results/*

REDUCE PRESSURE ON MATERNAL ANIMALS

First time mothers are the hardest to get back in calf in a timely manner. Droughts can also reduce cow condition score and fertility. Controlled creep feeding provides a cost effective way to reduce pressure on vulnerable animals, increase fertility, and maximize profit.

LABOR EFFICIENT

Controlled creep feeding only requires approximately 30% of feed that calves consume when traditional creep feeding. This means that you only need to fill feeders 30% as often, and the 8000HD feeder with 8000lb can supply feed to 50 calves at 2/ lb/day for 80 days.

CONTINUED FRESH FEED

The functioning of Advantage Feeders 3-Way Restriction System means that the trough is empty because the feed sits in the feed access area. This means that there isn't any feed in the trough that calves sort through, becomes stale, needs cleaning out, and is wasted.

EASY TO IMPLEMENT

Advantage Feeders Creep Feeding Gates are the strongest, most durable, and easiest on the market to use. With the use of the Advantage Feeders Lift Assist Bands, moving the 200lb Creep Gates from the active position to the transport can be done in less than a minute. They are hot dipped galvanized and have easy to use latches to lock them in active and transport positions.

CORN GRAZING TESTIMONIAL



"My original reason for buying Advantage Feeders was to achieve better corn stalk cleanup in our winter grazed fields. I thought at the time I could level out the plane of nutrition between fence moves as well. I also wanted to keep costs and labor down while getting better cleanup of stalks and keeping cow health.

We quickly found more year round benefits for our cow calf and back grounding operation. I now use them as creep for calves, weaning, breeding, extending or dealing with seasonal pasture gaps, for all classes of cattle.

Regarding corn stalk cleanup, the cost of grain and delivery matches

our corn cost, that says a lot. I think I have increased a 275 cow day per acre corn crop to 325, get the cleanup, while cow condition stays or improves. This is on average 3 pounds grain and mineral stemming from the eating pattern feeding efficiency designs of Advantage Feeders.

The fun thing of all this is that payback on advantage feeders is real fast, and I watch my cattle do and perform how I want them to."

Roger Hovde
Corn Ranches Ltd
Camrose, AB



CREEP FEEDING

CREEP GATES & PANELS ARE EASILY ADJUSTED TO PROVIDE FLEXIBILITY AS YOUR CALVES, LAMBS & KIDS GROW, WHILE SAFELY EXCLUDING MOTHERS

Creep Panels



- Dimensions: 7'11" x 0'8" x 0'2"
- Accommodates 100 lambs/ kids per side
- 44lbs

FEATURES

- Latches prevent the stock moving creep panels
- Large outer flange to increase strength
- Push button provides quick and easy repositioning
- Compatible models: 5300HD, 2500HD, M5300HD, M2500HD, M1400HD



Creep Gate Narrow



- Dimensions: 4'2" x 4'10" x 4'7"
- Accommodates 12-20 calves/side
- 130lbs

FEATURES

- Folding gates for easy transport and set-up
- Locking system in transport & creep feeding position
- Adjustable height horizontal bar - 9 positions
- Compatible models: 1200HD



Creep Gate Wide (CGNA)



- Dimensions: 8'5" x 4'10" x 3'9"
- Accommodates 25-40 calves/side
- 175lbs

FEATURES

- Folding gates for easy transport and set-up
- Locking system in transport & creep feeding position
- Adjustable height horizontal bar - 9 positions
- Compatible models: 8000HD & M8000HD




Creep Gate Wide (CGW) - Compatible with 2500HD, 5300HD, M5300HD, M2500HD (See page 15 for details)

Creep Gate Lift Assist



LIFT ASSIST BANDS



LIFT ASSIST BOLTS



FEATURES

- Taking half the weight, the new Creep Gate Lift Assist Bands makes repositioning an easy one person task.

SEE OUR INSTRUCTIONAL VIDEO TO SEE HOW EASY THEY ARE TO INSTALL & USE



*Current prices and freight charges are available at advantagefeeders.ca or call 1-800-806-0715

"This is the second year we have been using Advantage Feeders. The 200HD model works excellent for show steers. We have 10 steers in a pen with 2 feeders and the proof is in the pudding. We earned Grand Champion at the Border Classic Beef Show and Sale in Amherst, NS in 2024 and 2025.

We also have two of the 5300HD Advantage Feeders.

This has also been the second winter using them to background our feeder cattle. We moved cattle out 90 days earlier by using the Advantage Feeders as opposed to feeding grain twice a day. They were also roughly 100 pounds heavier.

We own the only livestock sale barn in Atlantic Canada and we farm as well, so we want to make the most gain possible. With using the Advantage Feeders the proof is in the pudding, like I say!

I honestly don't have anything bad to say about them. When researching them, I found that were very reasonable in price for what you were getting. That is something I really liked about the Advantage Feeders."

Scott and Natalie Dixon, Mates Corner, Jolicure, NB



"We earned Grand Champion at the Border Classic Beef Show and Sale in Amherst, NS in 2024 and 2025."



HAY FEEDERS

OUR INNOVATIVE FEEDERS MINIMIZE YOUR WASTE BETTER THAN ANY OTHER PRODUCT SO YOU MAXIMIZE YOUR HAY SAVINGS

Tray Hay Feeder



Great for long horn cattle



- One 5'x6' round
- Assembled dimensions: 7'3"x 6'8"x 5'2"
- Feeds 150 goats/sheep or 40-50 cattle/calves
- 450lbs

Stainless steel floor

Hay Feeder Roof



- One 4'x6' round
- Assembled dimensions: 6'6"x 4'9"x 2'9"
- Feeds 150 goats/sheep or 40-50 cattle/calves
- 90lbs

Optional add on

Cradle Hay Feeder



- One 5'x 6' round
- Assembled dimensions: 4'6"x 6'2"x 3'0"
- Feeds 150 goats/sheep or 40-50 cattle/calves
- 250lbs

Stainless steel floor

Only Suitable for miniature cattle



ACCESSORIES

Standard Cam Kit



FEATURES

- Adjuster Cams rotate to accurately position the Lower Adjuster
- Now standard on all feeders. Retrofit to HD models or the superseded NGF models

Mineral Attachment



FEATURES

- Volume 85L
- Bolt onto feeders or hang on fences, posts or gates
- UV stable material (LDPE UV20)
- Concealed latch to minimize animal tampering

Hungry Boards












A pair of Hungry Boards increase the filling length of Advantage Feeders by 1'3", making it easy to load your feeder with wide buckets.

*Current prices and freight charges are available at advantagefeeders.ca or call 1-800-806-0715




PRODUCT SPECIFICATIONS







GRAIN FEEDERS								
PRODUCT	PRODUCT WEIGHT	FEED CAPACITY WHEAT / CORN	FEED CAPACITY BARLEY / PELLETS	CATTLE HEIGHT DIM.	EXTENDED CATTLE HEIGHT DIM.	SHEEP/GOAT HEIGHT DIM.	FLAT PACK DIM.	FILL HEIGHT
 8000HD	1270lbs	4.9 tons	4.1 tons	8'0" x 7'7" x 8'7"	n/a	n/a	8'0" x 3'10" x 1'1"	7" less than height
 5300HD	930lbs	3.3 tons	2.8 tons	8'0" x 5'6" x 7'9"	8'1" x 5'6" x 8'5"	8'1" x 5'6" x 7'2"	8'0" x 3'10" x 1'1"	7" less than height
 2500HD	750lbs	1.5 tons	1.3 tons	8'0" x 5'6" x 5'4"	8'0" x 5'6" x 6'0"	8'0" x 5'6" x 4'8"	8'0" x 3'10" x 1'0"	7" less than height
 1200HD	420lbs	0.7 tons	0.6 tons	4'0" x 5'6" x 5'4"	4'0" x 5'6" x 6'0"	4'0" x 5'6" x 4'8"	4'0" x 3'10" x 0'11"	7" less than height
 200HD	70lbs	240lbs	200lbs	n/a	n/a	2'8" x 1'7" x 2'8"	n/a	n/a

MOBILE GRAIN FEEDERS							
PRODUCT	PRODUCT WEIGHT	FEED CAPACITY WHEAT / CORN	FEED CAPACITY BARLEY / PELLETS	CATTLE HEIGHT DIM.	SHEEP/GOAT HEIGHT DIM.	FLAT PACK DIM.	FILL HEIGHT
 M8000HD	1500lbs	4.9 tons	4.1 tons	12'0" x 7'7" x 8'6"	n/a	n/a	7" less than height
 M5300HD	1240lbs	3.3 tons	2.8 tons	12'0" x 5'6" x 8'1"	12'0" x 5'6" x 7'5"	8'0" x 3'10" x 1'4"	7" less than height
 M2500HD	1100lbs	1.5 tons	1.3 tons	12'0" x 5'6" x 5'8"	12'0" x 5'6" x 5'0"	8'0" x 3'10" x 1'2"	7" less than height
 M1400HD	640lbs	0.8 tons	0.7 tons	11'4" x 4'3" x 4'4"	11'4" x 4'3" x 3'10"	8'2" x 3'10" x 0'11"	n/a

HAY FEEDERS AND ROOF				
PRODUCT	PRODUCT WEIGHT	BALE CAPACITY	ASSEMBLED DIM.	FLAT PACK DIM.
 CRADLE HAY FEEDER	250lbs	1x 4'x 6" round	4'6" x 6'2"x 3'0"	6'1" x 3'10"x 0'7"
 TRAY HAY FEEDER	450lbs	1x 4'x 6' round	7'3"x 6'8"x 5'2"	7'3" x 3'9"x 0'11"
 HAY FEEDER ROOF	90lbs	n/a	6'6"x 4'9"x 2'9"	4'9"x 3'0"x 0'2"

Note: The volume of the feeders hopper is the number in the product code. Dimensions are length x width x height (Feet' & Inches")
*A two year warranty is standard on all feeding products, and guarantees that they will be fit for purpose based on them having a fair treatment. See advantagefeeders.ca for further details. **Advantage Feeders prices include free delivery to all current pick-up locations. Free delivery applies to all flat packed and assembled products this excludes the assembled M8000HD and 8000HD. Delivery to other locations outside of current pick-up locations can be arranged at local shipping rates. See our website for current prices.

CREEP FEEDING				
PRODUCT	PRODUCT WEIGHT	ASSEMBLED DIMENSIONS	FLAT PACK DIM.	COMPATIBLE MODELS
 CALF CREEP GATE WIDE CGW (EACH)	200lbs	8'5" x 4'10" x 4'5" (down) 8'5" x 1'0" x 9'6" (folded) 8'5" x 1'0" x 10'2" (ext cattle folded)	8'1" x 3'9" x 0'5"	5300HD, 2500HD, M5300HD, M2500HD
 CALF CREEP GATE WIDE CGNA (EACH)	175lbs	8'5" x 4'10" x 3'9" (down) 8'5" x 1'0" x 8'10" (folded) 8'5" x 1'0" x 9'6" (ext cattle folded)	n/a	8000HD, M8000HD
 CALF CREEP GATE NARROW (EACH)	130lbs	4'2" x 4'10" x 4'7"	5'2" x 3'8" x 0'5"	1200HD
 LAMB CREEP PANELS (PAIR)	44lbs	7'11" x 0'8" x 0'2"	7'11" x 0'8" x 0'2"	5300HD, 2500HD, M5300HD, M2500HD, M1400HD
 CREEP GATE LIFT ASSIST BANDS (PAIR)**	4.4lbs	n/a	n/a	CALF CREEP GATE WIDE
 CREEP GATE LIFT ASSIST BOLT KIT**	0.1lbs	n/a	n/a	CALF CREEP GATE WIDE

ACCESSORIES		
PRODUCT	PRODUCT WEIGHT	SPECIFICATIONS
 AIR RIVET TOOL**	7lbs	Suitable for steel rivets up to 0.25". Operates at 90PSI
 HUNGRY BOARDS	27lbs	Increase filling width by 1'3"
 LOWER ADJUST CAM - STANDARD KIT**	1lbs	Pack of 8 - 0'6"x 0'5"x 0'08". Individual dimensions: 0'25"x 0'18"x 0'06" Retrofits ALL current HD Models and NGF3800, NGF1800 and NGF800 Models
 MINERAL ATTACHMENT	30lbs	Feed Volume: 22.5 gallons Feed Weight – minerals: 242lbs Feed Weight – barley/pellets: 110lbs 2'5" x 1'3" x 1'8" (assembled)
 THF BULL KIT	50lbs	Includes 8 side bars + 8 end bars. Prevents bulls from getting their heads stuck in the Tray Hay Feeder
 RUBBER MATS	120lbs	Dimensions 10' x 4' x 0.2". Prevent soil erosion & pugging



CUSTOMER CARE
CONTACT OUR SALES TEAM ON
1-800-806-0715

Damaged a part?
Have an older feeder that needs a part replaced?
Wanting to upgrade a feature?
No problem!

Our Canadian based team can arrange replacement parts for every model of feeder we have ever made, including cleaning tools and adjustment tools.

PROVIDING EXCELLENT SERVICE, REPAIRS, AND SOLUTIONS

"Advantage Feeders have significantly improved the way I manage my breeding herd, particularly during corn grazing in the winter months. The precise control offered by their 3-way restriction system allows me to limit daily intake accurately, while ensuring feed is readily available. This has provided me with greater confidence in my cattle management practices. We are using hullless oats as a supplement and have found the feeder to perform reliably with minimal maintenance."

In addition to aiding my breeding herd, I have also utilized Advantage Feeders for finishing a smaller group of cattle in the yard. This application has been extremely helpful in reducing the time spent on daily chores. The streamlined feeding process allows me to focus on other priorities while making sure the cattle get correct daily rations."

Advantage Feeders are built solidly, particularly the feed control mechanism, which is both precise and straightforward. Adjusting the settings is simple, allowing me to fine-tune the feeding rations. The innovative feed control system has streamlined our feeding process, reduced labor, and enhanced animal health. I recommend them to anyone seeking practical and reliable solutions for cattle feeding."

Jordan and Rebekah Webber,
Rough Meadow Ranch
Brownfield, AB



CANADIAN DISTRIBUTOR

Myrna and Marlin Huber
Huber Ag Equipment
RR #3, Coronation,
Alberta, T0C 1C0



DISTRIBUTOR LOCATIONS

Visit our website to
view the full list of our
distributor locations

TWO YEAR WARRANTY

You can rest assured that your feeders will last a long time. A two year warranty on all feeding products guarantees that they will be fit for purpose based on them having fair treatment.*

FREE FREIGHT

Advantage Feeders prices include delivery to all current pick-up locations.** Delivery to other locations can be arranged at local shipping rates.

See our website for current prices.

ASSEMBLY OPTIONS

Feeders may be purchased assembled or flat packed. This gives farmers the option to make savings on delivery and assembly. All products come with the relevant fasteners and instructions for full assembly.

1-800-806-0715

advantagefeeders.ca
info@advantagefeeders.ca



**ADVANTAGE
FEEDERS**